

Food Premises Inspection Summary Report

Name of Premise:	Plumweseep Adult Residential Facility	Licence #:	02-02576
Address:	187 Plumweseep Cross Rd Plumweseep NB E4G 1W9	Type:	Class/Classe 4
Water Supply:	Private	Category:	Routine Compliance
		Date of Inspection:	August 1, 2023

MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable

OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
2.2	MI	Freezers shall be kept in good repair, defrosted regularly, and kept clean. Observations: Freezers in garage must be defrosted	Immediately
2.4	MA	Foods shall be stored in a manner to prevent cross contamination (e.g. no raw above cooked, not directly on floor). Observations: Eggs were stored above ready to eat foods. Corrective Actions: CDI	Corrected
7.1	MI	Non-food contact equipment shall be constructed from materials that are suitable for their intended purpose and are durable, easily cleaned and free from any undesirable substance. Observations: Cleaning is required behind refrigerator. Exhaust fan above stove must be cleaned. Cupboard under sink requires cleaning. Duct tape around air conditioner must be removed. All surfaces must be smooth and easily cleanable.	Immediately
7.3	MI	The mechanical dishwasher shall be of appropriate type for the operation of the premises. Observations: If the dishwasher is not working it should be removed to provide more storage space. Dishwasher requires cleaning in the meantime.	Immediately
12.1	MI	Light fixtures where food can be contaminated shall be properly covered and/or shatter proof. Observations: Light must be covered or use plastic shatter proof bulb	Immediately

CLOSING COMMENTS

Rating colour: Green