

Food Premises Inspection Summary Report

Name of Premise:	Residence Virginia	Licence #:	01-00258
Address:	175 Virginia Ave Dieppe NB E1A 1L9	Type:	Class/Classe 4
Water Supply:	Municipal	Category:	Routine Compliance
		Date of Inspection:	March 15, 2024

MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable

OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
2.3	MA	<p>Temperatures shall be recorded at least 2 times daily at acceptable intervals during operation and logs shall be easily accessible for review by inspectors.</p> <p>Observations: Temperature logs for all refrigerators were not available at time of inspection.</p> <p>Comment: Temperature logs must be available for review during inspections.</p>	March 29, 2024
7.1	MI	<p>Non-food contact equipment shall be constructed from materials that are suitable for their intended purpose and are durable, easily cleaned and free from any undesirable substance.</p> <p>Observations: Some areas of the cupboards need repairs as water is seeping into the material.</p>	September 16, 2024
8.2	MA	<p>Staff must be able to demonstrate proper use of sanitizers and method for testing the solution.</p> <p>Observations: -Provide test strips for testing sanitizer-Staff must be aware of what type of sanitizer is being used. Make sure the original sanitizer concentrate bottle is onsite in order for inspector to verify during inspection.</p>	March 29, 2024
13.1	MI	<p>The information written on the licence shall be accurate.</p> <p>Observations: The posted license expired in March 2023. Make sure current license for the kitchen is posted.</p>	March 29, 2024

CLOSING COMMENTS

Rating colour: Dark Yellow