

## Food Premises Inspection Summary Report

Water Supply: Private Date of Inspection: Novembrand   MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Notor OBSERVATIONS AND CORRECTIVE ACTIONS   Item MI /MA/ CR	
Address:   1021 Route 776 Grand Manan NB   Category:   Routine     Water Supply:   Private   Date of Inspection:   November     MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Notember   OBSERVATIONS AND CORRECTIVE ACTIONS     Item MI /MA/ CR     Remarks   1.3     MI   Any prepared potentially hazardous foods wrapped in packages or stored in containers shall be	
Mil Male   Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Noto     OBSERVATIONS AND CORRECTIVE ACTIONS     Item   MI /MA/ CR   Remarks     1.3   MI   Any prepared potentially hazardous foods wrapped in packages or stored in containers shall be	Compliance
OBSERVATIONS AND CORRECTIVE ACTIONS       Item     MI /MA/ CR     Remarks       1.3     MI     Any prepared potentially hazardous foods wrapped in packages or stored in containers shall be	per 7, 2023
Item MI /MA/ CR Remarks   1.3 MI Any prepared potentially hazardous foods wrapped in packages or stored in containers shall be	t Applicable
1.3   MI   Any prepared potentially hazardous foods wrapped in packages or stored in containers shall be	
	Date for Correction
	Immediately
8.2 MI Sanitizer solution shall be used in strict accordance with the manufacturer's instructions on the label (recommended strength and contact time).	Corrected
Corrective Actions: Chlorine sanitizer for food contact surfaces diluted to 100ppm.	
Reading: - 12:53 PM - Chlorine sanitizer : 200ppm	
CLOSING COMMENTS	

Rating colour: Green