

FOOD PREMISES INSPECTION FORM

Name of Premises: Arby's Restaurant
 Operator: E
 Address: 316 Rothersey Ave, Saint John

Licence #: 02-00012 Type: Class 3 Class 4 Class 5
 Category: Routine Re-inspection New Licence Complaint CD Follow-up Inspection
 Water Supply: Private Municipal



Item No.	N.O.	S	U	Item No.	N.O.	S	U	Item No.	N.O.	S	U	Item No.	N.O.	S	U
1.0				3.3		<input checked="" type="checkbox"/>		7.0				10.2		<input checked="" type="checkbox"/>	
FOOD				Holding Methods				FOOD EQUIPMENT AND UTENSILS				Walls (Construction and Maintenance)			
1.1		<input checked="" type="checkbox"/>		3.4		<input checked="" type="checkbox"/>		7.1		<input checked="" type="checkbox"/>		10.3			<input checked="" type="checkbox"/>
Approved Source				Cooling Methods				Food Equipment (Design, Construction, Installation and Maintenance)				Ceilings (Constructions and Maintenance)			
1.2		<input checked="" type="checkbox"/>		3.5		<input checked="" type="checkbox"/>		7.2		<input checked="" type="checkbox"/>		11.0			
Purchasing and Receiving				Re-heating Methods				Food Contact Surfaces				WATER SUPPLY AND WASTE DISPOSAL			
1.3		<input checked="" type="checkbox"/>		3.6		<input checked="" type="checkbox"/>		7.3	<input checked="" type="checkbox"/>			11.1		<input checked="" type="checkbox"/>	
Acceptable Containers and Labeling				Handling Methods				Mechanical Dishwashing				Water (Quality and Quantity)			
2.0				4.0				7.4		<input checked="" type="checkbox"/>		11.2		<input checked="" type="checkbox"/>	
FOOD STORAGE				FOOD DISPLAY AND SERVICE				Manual Dishwashing				Sewage Disposal			
2.1			<input checked="" type="checkbox"/>	4.1		<input checked="" type="checkbox"/>		7.5		<input checked="" type="checkbox"/>		11.3		<input checked="" type="checkbox"/>	
Storage of Potentially Hazardous Foods				Display Methods				Eating Utensils and Dishes				Solid Waste Handling			
2.2		<input checked="" type="checkbox"/>		4.2		<input checked="" type="checkbox"/>		8.0				12.0			
Frozen Storage				Advance Preparation				CLEANING AND SANITIZING				LIGHTING AND VENTILATION			
2.3		<input checked="" type="checkbox"/>		5.0				8.1		<input checked="" type="checkbox"/>		12.1		<input checked="" type="checkbox"/>	
Refrigerated Storage (Temperature)				RECORD KEEPING AND RECALLS				Cleaning and Sanitizing				Lighting			
2.4		<input checked="" type="checkbox"/>		5.1		<input checked="" type="checkbox"/>		8.2			<input checked="" type="checkbox"/>	12.2		<input checked="" type="checkbox"/>	
Refrigerated Storage (Methods)				Record Keeping				Detergents and Chemical Use and Storage				Ventilation			
2.5		<input checked="" type="checkbox"/>		5.2		<input checked="" type="checkbox"/>		9.0				13.0			
Refrigerated Storage (Space)				Recall of Food				SANITARY FACILITIES				GENERAL			
2.6		<input checked="" type="checkbox"/>		6.0				9.1		<input checked="" type="checkbox"/>		13.1		<input checked="" type="checkbox"/>	
Dry Storage				PERSONNEL				Washroom(s)				Licence			
2.7		<input checked="" type="checkbox"/>		6.1		<input checked="" type="checkbox"/>		9.2		<input checked="" type="checkbox"/>		13.2		<input checked="" type="checkbox"/>	
Storage of Food for Staff				Demonstrating Knowledge				Hand Washing Station(s)				Rodent and Insect Control			
3.0				6.2		<input checked="" type="checkbox"/>		10.0				13.3		<input checked="" type="checkbox"/>	
FOOD PREPARATION AND HANDLING				Employee Health				FLOORS, WALLS AND CEILINGS				Other Infractions/Hazards			
3.1		<input checked="" type="checkbox"/>		6.3		<input checked="" type="checkbox"/>		10.1		<input checked="" type="checkbox"/>					
Thawing Methods				Personal Hygiene Practices				Floors (Construction and Maintenance)							
3.2		<input checked="" type="checkbox"/>													
Cooking Methods															

N.O. – Not Observed; S – Satisfactory; U – Unsatisfactory; MI – Minor Infraction; MA – Major Infraction; CR – Critical Infraction

Item No.	MI	MA	CR	Remarks	Date for Correction
2.1		<input checked="" type="checkbox"/>		Two skim milk in the small fridge in drive through area (from inside) found its best before date (Sept 11/2017) done, they should be discarded	corrected
8.2		<input checked="" type="checkbox"/>		Sanitizer bottle, its concentration found between (100 – 200 ppm). Sanitizer concentration for Quate must be 200ppm	corrected
10.3	<input checked="" type="checkbox"/>			2 Ceiling tiles needs to be fixed	Sept 28/2017

<input checked="" type="checkbox"/> Green <input type="checkbox"/> Light Yellow <input type="checkbox"/> Dark Yellow <input type="checkbox"/> Striped Red <input type="checkbox"/> Red	Re-inspection Required: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Date of Inspection: <u>Sept 13/2017</u> If Yes, Date:
--	---	--