

Food Premises Inspection Summary Report

Name of Premise:	Pita Pit	Licence #:	01-02409
Address:	101-540 Pinewood Road Riverview NB E1B 5J9	Type:	Class/Classe 4
Water Supply:	Municipal	Category:	Routine Compliance
		Date of Inspection:	November 1, 2023

MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable

OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
8.1	MA	Food contact surfaces, equipment and utensils shall be kept clean and sanitary. Observations: Small ice machine to be unplugged, cleaned and sanitized. There is a build-up of mold inside. (Unit taken out of service). Corrective Actions: CDI	Corrected
8.2	MA	Sanitizer solution shall be used in strict accordance with the manufacturer's instructions on the label (recommended strength and contact time). Observations: Red pail of sanitizer in the front food prep area showed no reading for sanitizer. Refresh from the dispenser. Corrective Actions: CDI	Corrected
8.2	MI	Staff must be able to demonstrate proper use of sanitizers and method for testing the solution. Observations: The test strips available for testing the sanitizer are past the expiry date. Obtain new strips.	Immediately

CLOSING COMMENTS

Rating colour: Green