

FOOD PREMISES INSPECTION FORM

Name of Premises: 540 Kitchen & BAR INC
 Operator: 540 Kitchen & BAR INC
 Address: 540, Queen Street, Fredericton

Licence #: 03-01734 Type: Class 3 Class 4 Class 5
 Category: Routine Re-inspection New Licence Complaint CD Follow-up Inspection
 Water Supply: Private Municipal



Item No.	N.O.	S	U	Item No.	N.O.	S	U	Item No.	N.O.	S	U	Item No.	N.O.	S	U
1.0	FOOD			3.3			✓	3.3	Holding Methods			7.0	FOOD EQUIPMENT AND UTENSILS		
1.1		✓		3.4		✓		7.1		✓		10.2		✓	
1.2		✓		3.5		✓		7.2			✓	10.3		✓	
1.3		✓		3.6		✓		7.3			✓	11.0	WATER SUPPLY AND WASTE DISPOSAL		
2.0	FOOD STORAGE			4.0	FOOD DISPLAY AND SERVICE			7.4			✓	11.1		✓	
2.1		✓		4.1		✓		7.5		✓		11.2		✓	
2.2		✓		4.2		✓		8.0	CLEANING AND SANITIZING			11.3		✓	
2.3		✓		5.0	RECORD KEEPING AND RECALLS			8.1			✓	12.0	LIGHTING AND VENTILATION		
2.4		✓		5.1		✓		8.2		✓		12.1		✓	
2.5		✓		5.2		✓		9.0	SANITARY FACILITIES			12.2		✓	
2.6			✓	6.0	PERSONNEL			9.1		✓		13.0	GENERAL		
2.7	✓			6.1		✓		9.2		✓		13.1		✓	
3.0	FOOD PREPARATION AND HANDLING			6.2		✓		10.0	FLOORS, WALLS AND CEILINGS			13.2		✓	
3.1		✓		6.3		✓		10.1		✓		13.3		✓	
3.2		✓													

N.O. - Not Observed; S - Satisfactory; U - Unsatisfactory; MI - Minor Infraction; MA - Major Infraction; CR - Critical Infraction

Item No.	MI	MA	CR	Remarks	Date for Correction
2.6	✓			DRY Beans stored uncovered. Foods in the dry storage area's must be kept covered.	Corrected at time of inspection
2.6	✓			Shelving unit in dry storage area not providing necessary clearance for effective cleaning of the floor. Shelves shall be designed to facilitate effective cleaning.	Correct violation as soon as possible. No water down next routine inspection
3.3	✓			Record the temperature of hot held food	April 18 2018
7.2		✓		The ice scoop was stored on a dusty surface. Food contact surfaces shall be handled in a sanitary manner after being sanitized and then air dried.	Corrected at time of inspection
7.3	✓			The mechanical dishwasher was not dispensing sanitizing solution at adequate concentration during final rinse cycle.	Corrected at time of inspection
8.1	✓			The floor under a shelving unit (Dry goods storage area) was dirty (spilled flour and beans) - Clean this area on a daily basis. → noted on past inspection report	April 18 2018

<input checked="" type="checkbox"/> Green <input type="checkbox"/> Light Yellow <input type="checkbox"/> Dark Yellow <input type="checkbox"/> Striped Red <input type="checkbox"/> Red	April 18 2018 Date of Inspection:	Re-inspection Required: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Date:
--	--------------------------------------	--