## FOOD PREMISES INSPECTION FORM Name of Premises: King St File House Operator: Address: 546 King Street Frideriction NB F3B 18 <u>03-01683</u> Type: □ Class 3 ☑ Class 4 □ Class 5 Routine Re-inspection New Licence Complaint CD Follow-up Inspection Category: Water Supply: Private Municipal Item N.O. N.O. U S N.O. S N.O. S No. No. No. No. 1.0 FOOD 3.3 0 Holding Methods 7.0 FOOD EQUIPMENT AND UTENSILS 10.2 Walls (Construction and Maintenance) Food Equipment (Design, Construction, Ceilings (Constructions and 1.1 Approved Source 3.4 Cooling Methods 7.1 10.3 Installation and Maintenance) Maintenance) 1.2 Purchasing and Receiving 3.5 Re-heating Methods 7.2 Food Contact Surfaces WATER SUPPLY AND WASTE DISPOSAL 11.0 1.3 Acceptable Containers and Labeling 3.6 Handling Methods 7.3 Mechanical Dishwashing 11.1 Water (Quality and Quantity) 2.0 **FOOD STORAGE** 4.0 FOOD DISPLAY AND SERVICE 7.4 Manual Dishwashing 11.2 Sewage Disposal 2.1 Storage of Potentially Hazardous Foods 4.1 Display Methods 7.5 Eating Utensils and Dishes 11.3 Solid Waste Handling 2.2 ~ Frozen Storage 4.2 Advance Preparation 8.0 CLEANING AND SANITIZING 12.0 LIGHTING AND VENTILATION 2.3 Refrigerated Storage (Temperature) 5.0 RECORD KEEPING AND RECALLS 8.1 Cleaning and Sanitizing 12.1 Lighting Detergents and Chemical Use and 2.4 Refrigerated Storage (Methods) 5.1 Record Keeping 8.2 12.2 Ventilation 2.5 Refrigerated Storage (Space) 5.2 Recall of Food 9.0 SANITARY FACILITIES GENERAL 13.0 2.6 Dry Storage 6.0 PERSONNEL 9.1 Washroom(s) 13.1 Licence 2.7 Storage of Food for Staff 6.1 Demonstrating Knowledge 9.2 Hand Washing Station(s) 13.2 Rodent and Insect Control 3.0 FOOD PREPARATION AND HANDLING 6.2 Employee Health 10.0 FLOORS, WALLS AND CEILINGS 13.3 Other Infractions/Hazards 3.1 Thawing Methods 6.3 Personal Hygiene Practices 10.1 Floors (Construction and Maintenance) 3.2 Cooking Methods N.O. - Not Observed; S - Satisfactory; U - Unsatisfactory; MI - Minor Infraction; MA - Major Infraction; CR - Critical Infraction Item No. WH CR MA Date for Correction New floor placed in Wolk in fridge died not prove satisfactory will be replaced. 1001 1011 Green Re-inspection

INO

Yes

Required:

If Yes, Date:

Red

Dark Yellow

Light Yellow

Striped Red