

Food Premises Inspection Summary Report

Name of Premise:	Harbourvue Horizon	Licence #:	02-03051
Address:	10 Portland St Saint John NB E2K 4H8	Type:	Class/Classe 4
Water Supply:	Municipal	Category:	Routine Compliance
		Date of Inspection:	November 21, 2023

MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable

OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
2.2	MI	Freezers shall be kept in good repair, defrosted regularly, and kept clean. Observations: Standing freezer must be defrosted.	Immediately
7.1	MI	Non-food contact equipment shall be constructed from materials that are suitable for their intended purpose and are durable, easily cleaned and free from any undesirable substance. Observations: Tops of chest freezer must be resurfaced or replaced as they are difficult to clean. Dishwasher is leaking and must be fixed.	Immediately
7.2	MI	Food contact surfaces, equipment and utensils shall be maintained such that they function in the manner intended and can be easily cleaned and sanitized (e.g. scratched and scored cutting boards/utensils). Observations: Cutting boards that are badly scratched must be resurfaced or replaced. (ex. green and brown cutting boards)	Immediately
8.1	MI	Non-food contact equipment shall be kept clean and sanitary. Observations: Floors, utensil rack, fan, ceiling fan, behind equipment requires cleaning.	Immediately
8.2	MA	Sanitizer solution shall be used in strict accordance with the manufacturer's instructions on the label (recommended strength and contact time). Observations: Sanitizer was not available at the time of inspection Corrective Actions: CDI	Corrected
10.1	MI	Outstanding Infraction: Floors shall be of sound construction and in good repair. Comment: Floors must be replaced	March 21, 2024

CLOSING COMMENTS

Rating colour: Green