

## Food Premises Inspection Summary Report

<b>Name of Premise:</b>	Subway	<b>Licence #:</b>	60-00707
<b>Address:</b>	740 Rue Principale Beresford NB E8K 1W6	<b>Type:</b>	Class/Classe 4
<b>Water Supply:</b>	Municipal	<b>Category:</b>	Routine Compliance
		<b>Date of Inspection:</b>	March 20, 2024

*MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable*

### OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
------	------------	---------	---------------------

8.2	MI	Sanitizer solution shall be used in strict accordance with the manufacturer's instructions on the label (recommended strength and contact time). <b>Observations: Sanitizer in bottle and in sink is too strong. Use test strips and get dispenser vérifié.</b>	Immediately
-----	----	--	-------------

---

8.1	MI	<b>Outstanding Infraction: Non-food contact equipment shall be kept clean and sanitary.</b> Comment: Dining room chairs (white backs) need more regular cleaning.
-----	----	--

---

### CLOSING COMMENTS

**Rating colour: Green**