

Food Premises Inspection Summary Report

Name of Premise:	Comfort Inn Fredericton	Licence #:	03-01710
Address:	797 Prospect St Fredericton NB E3B 5Y4	Type:	Class/Classe 4
Water Supply:	Municipal	Category:	Routine Compliance
		Date of Inspection:	May 23, 2023

MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable

OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
------	------------	---------	---------------------

8.2	MA	Staff must be able to demonstrate proper use of sanitizers and method for testing the solution. <i>Comment: Sanitizer test strips were expired and water damaged: these must be replaced.</i>	June 6, 2023
-----	----	---	--------------

9.2	MA	Hand washing stations shall not be used for any other purpose. <i>Corrective Actions: Syrup nozzles were soaking in a tub resting in the handwashing basin. Handwashing stations must be used for no purpose other than washing hands. This was corrected during inspection.</i>	Corrected
-----	----	--	-----------

CLOSING COMMENTS

Follow up inspection scheduled for 2023-06-06.

Rating colour: Dark Yellow