

Food Premises Inspection Summary Report

Name of Premise:	Pine Grove Nursing Home	Licence #:	03-00163
Address:	521 Woodstock Rd Fredericton NB E3B 2J2	Type:	Class/Classe 4
Water Supply:	Municipal	Category:	Routine Compliance
		Date of Inspection:	January 2, 2024

MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable

OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
2.4	MI	Refrigerators shall be of impervious material and of sound and tight construction and kept in good repair. Observations: The walk-in cooler compressor fans are lightly soiled. Comment: Increase frequency of cleaning all components of refrigeration units to avoid the accumulation of dust and debris which can be transferred to the food.	Immediately
10.2	MI	Walls shall be of sound construction and in good repair. Observations: There is a hole in the wall behind the large ice machine, beside the baking station, and paint is chipped on corners/high traffic areas. Comment: Damaged facilities cannot be effectively cleaned and thus provides a place where microorganisms can multiply. Contract a professional to repair and apply a finish to all damaged walls to prevent further degradation and be kept cleaned.	Immediately
10.3	MI	Ceilings shall be of sound construction and in good repair. Observations: The paint is peeling on the ventilation ducts that is affixed throughout the kitchen ceiling. Comment: Contract a professional to repair and apply a finish to all damaged ceilings to prevent further degradation and be kept cleaned. In addition, peeling, flaking or chipped paint from ceiling could pose chemical hazard in food.	Immediately
11.3	MI	Adequate receptacles shall be provided for take-out garbage and litter shall be collected from the food premises. Observations: There was unused equipment and other materials stored at the back exit. Comment: Unused equipment can provide harbourage conditions that may attract insects and rodents. Unused equipment should be removed from the premise on a frequent basis.	Immediately
13.3	MI	Other conditions which needs consideration (ex: clutter, unused equipment, etc.). Observations: There were four loose screws in the wall near the baking section. A bulletin board was above the hot holding station and tacks were loose. Comment: During the inspection four screws were removed from the wall. Consider relocating the bulletin board or use tape to avoid physical contamination of the food.	Immediately

Food Premises Inspection Summary Report

Name of Premise:	Pine Grove Nursing Home	Licence #:	03-00163
-------------------------	-------------------------	-------------------	----------

CLOSING COMMENTS

All outstanding infractions are to be corrected at the next routine inspection

Rating colour: Green