

Food Premises Inspection Summary Report

Name of Premise:	The Feel Good	Licence #:	03-030160
Address:	90 Main St Fredericton NB E3A 1C5	Type:	Class/Classe 4
Water Supply:	Municipal	Category:	Routine Compliance
		Date of Inspection:	March 4, 2024

MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable

OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
2.3	MA	Temperatures shall be recorded at least 2 times daily at acceptable intervals during operation and logs shall be easily accessible for review by inspectors. Observations: ensure each refrigeration unit temperature is recorded 2x daily.	March 18, 2024
2.5	MI	Refrigerators (including surfaces, racks, trays, vents, shelves, etc.) shall be maintained such that it functions in the manner intended and can be easily cleaned and sanitized. Observations: cleaning required inside refrigeration units (basement)	Immediately
3.3	MA	Hot holding temperatures shall be checked regularly and recorded once during every 4 hours of operation (once food is placed in unit) and logs shall be available for inspector review. Observations: ensure hot holding unit temperature is recorded once every 4 hours. no logs available.	March 18, 2024
8.1	MI	Floors, walls and ceilings shall be kept clean and sanitary. Observations: general cleaning of the basement floor required.	Immediately
8.2	MA	Sanitizer solution shall be used in strict accordance with the manufacturer's instructions on the label (recommended strength and contact time). Observations: ensure chlorine sanitizer bottles are maintained at 100ppm concentration, verify with test strips daily. Corrective Actions: CDI	Corrected
12.1	MA	Light fixtures where food can be contaminated shall be properly covered and/or shatter proof. Observations: missing light covers in the kitchen prep space. repair light covers required.	March 18, 2024
13.2	MI	Any escape resistant trap, shall be emptied and cleaned regularly. Observations: ensure to have pest control company to replace the traps	Immediately

CLOSING COMMENTS

Rating colour: Dark Yellow