

Food Premises Inspection Summary Report

Name of Premise:	Shediac Cape Home & School Cafeteria	Licence #:	01-00424
Address:	3375 Route 134 Shediac Cape NB E4P 3G4	Type:	Class/Classe 4
Water Supply:	Municipal	Category:	Routine Compliance
		Date of Inspection:	April 11, 2024

MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable

OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
7.1	MI	Non-food contact equipment shall be in proper working order. For food premises that have a mechanical dishwasher that is broken and choose to use the 3-step manual method, the food premises would be in non-compliance with Section 7.1 B if the food premises is not able to or cannot achieve proper cleaning and sanitizing using the manual method. Observations: All meals are served in paper plates with plastic utensils. Dishwasher is only used for pots, pans and containers. Staff can use 3 steps method in the mean time. Quat sanitizer is available onsite.	Immediately
8.2	MA	A suitable food grade sanitizer shall be available and at the recommended concentration. Observations: Quat sanitizer mix measured above 400 ppm during inspection. Staff diluted the solution with water and was brought down to 200 ppm. Corrective Actions: CDI	Corrected

CLOSING COMMENTS

Rating colour: Green