

Food Premises Inspection Summary Report

Name of Premise:	McDonald's Restaurant	Licence #:	01-02100
Address:	10 Ensley Drive Moncton NB E1G 2W6	Type:	Class/Classe 4
Water Supply:	Municipal	Category:	Routine Compliance
		Date of Inspection:	February 22, 2024

MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable

OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
7.4	MA	A suitable (food grade) sanitizer shall be available and at the recommended concentration. Observations: Quaternary pot wash sanitizer recorded at 400 ppm; ensure 200 ppm. Empty the sink and refill. Corrective Actions: CDI	Corrected
8.2	MA	Sanitizer solution shall be used in strict accordance with the manufacturer's instructions on the label (recommended strength and contact time). Observations: The sanitizer bottle in the front service area showed no reading for sanitizer. Refresh from the dispenser. Corrective Actions: CDI	Corrected
9.2	MI	Paper towel shall be in a dispenser. Observations: Paper towel at the main hand wash sink must be stored in the dispenser. Corrective Actions: CDI	Corrected

CLOSING COMMENTS

Rating colour: Green