

Food Premises Inspection Summary Report

| | | | |
|-------------------------|---|----------------------------|--------------------|
| Name of Premise: | Ami Tea | Licence #: | 02-03306 |
| Address: | 73 King Street Saint John NB E2L 1G5 | Type: | Class/Classe 4 |
| Water Supply: | Municipal | Category: | Routine Compliance |
| | | Date of Inspection: | September 15, 2023 |

MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable

OBSERVATIONS AND CORRECTIVE ACTIONS

| Item | MI /MA/ CR | Remarks | Date for Correction |
|------|------------|--|---------------------|
| 2.3 | MI | Refrigeration units must be able to maintain foods at 4°C (40°F) or less. Observations: Topping -2 cooler temperature was 8C at the time of inspection, all foods inside it are removed. Don't put food inside it until be fixed. Coolers temperature shall be 4 C or less | Immediately |
| 9.1 | MI | Paper towel dispensers shall be available. Observations: No paper towel inside the paper towel dispenser. | Immediately |
| 9.2 | MI | Paper towel shall be in a dispenser. Observations: No paper towel inside the paper towel dispenser. | Immediately |

CLOSING COMMENTS

Rating colour: Green