

FOOD PREMISES INSPECTION FORM



Name of Premises: INGLEWOOD SCHOOL

Licence #: 02-03113

Operator: 10 SCHOOL STREET, GRAND BAY WESTFIELD

Type: Class 3 Class 4 Class 5
 Category: Routine Re-inspection New Licence Other
 Water Supply: Private Municipal

Item No.	N.O.	S	U	Item No.	N.O.	S	U	Item No.	N.O.	S	U	Item No.	N.O.	S	U
FOOD															
1.0				3.3	<input checked="" type="checkbox"/>			7.0	FOOD EQUIPMENT AND UTENSILS			10.2		<input checked="" type="checkbox"/>	
1.1	<input checked="" type="checkbox"/>			3.4	<input checked="" type="checkbox"/>			7.1		<input checked="" type="checkbox"/>		10.3		<input checked="" type="checkbox"/>	
1.2	<input checked="" type="checkbox"/>			3.5	<input checked="" type="checkbox"/>			7.2		<input checked="" type="checkbox"/>		11.0	WATER SUPPLY AND WASTE DISPOSAL	<input checked="" type="checkbox"/>	
1.3	<input checked="" type="checkbox"/>			3.6	<input checked="" type="checkbox"/>			7.3		<input checked="" type="checkbox"/>		11.1		<input checked="" type="checkbox"/>	
2.0	FOOD STORAGE			4.0	FOOD DISPLAY AND SERVICE			7.4		<input checked="" type="checkbox"/>		11.2		<input checked="" type="checkbox"/>	
2.1	<input checked="" type="checkbox"/>			4.1	<input checked="" type="checkbox"/>			7.5		<input checked="" type="checkbox"/>		11.3		<input checked="" type="checkbox"/>	
2.2	<input checked="" type="checkbox"/>			4.2	<input checked="" type="checkbox"/>			8.0	CLEANING AND SANITIZING			12.0	LIGHTING AND VENTILATION	<input checked="" type="checkbox"/>	
2.3	<input checked="" type="checkbox"/>			5.0	RECORD KEEPING AND RECALLS			8.1		<input checked="" type="checkbox"/>		12.1		<input checked="" type="checkbox"/>	
2.4	<input checked="" type="checkbox"/>			5.1	<input checked="" type="checkbox"/>			8.2		<input checked="" type="checkbox"/>		12.2		<input checked="" type="checkbox"/>	
2.5	<input checked="" type="checkbox"/>			5.2	<input checked="" type="checkbox"/>			9.0	SANITARY FACILITIES			13.0	GENERAL	<input checked="" type="checkbox"/>	
2.6	<input checked="" type="checkbox"/>			6.0	PERSONNEL			9.1		<input checked="" type="checkbox"/>		13.1		<input checked="" type="checkbox"/>	
2.7	<input checked="" type="checkbox"/>			6.1	<input checked="" type="checkbox"/>			9.2		<input checked="" type="checkbox"/>		13.2		<input checked="" type="checkbox"/>	
3.0	FOOD PREPARATION AND HANDLING			6.2	<input checked="" type="checkbox"/>			10.0	FLOORS, WALLS AND CEILINGS			13.3		<input checked="" type="checkbox"/>	
3.1	<input checked="" type="checkbox"/>			6.3	<input checked="" type="checkbox"/>			10.1		<input checked="" type="checkbox"/>					
3.2	<input checked="" type="checkbox"/>														

Item No. MI MA CR Remarks N.O. - Not Observed; S - Satisfactory; U - Unsatisfactory; MI - Minor Infraction; MA - Major Infraction; CR - Critical Infraction Date for Correction

8.2 **Remarks:** Sanitizer concentration was observed to be < 200ppm (check). Bleach must be at 100ppm for effective cleaning and sanitizing of food contact surfaces. Empired sanitizers that stays must be discarded and new ones purchased.

Green Dark Yellow Red
 Light Yellow Red
 Striped Red

Date of Inspection: Feb 24 2021

Re-inspection Required: Yes No

If Yes, Date: _____

White - Office; Yellow - Operator; Blue - Copy for Posting