

**FOOD PREMISES INSPECTION FORM**

Name of Premises: Little Country Kitchen  
 Operate: \_\_\_\_\_  
 Address: 72 Knightville Rd Smiths Creek, NB

Licence #: 02-03032 Type:  Class 3  Class 4  Class 5  
 Category:  Routine  Re-inspection  New Licence  Complaint  CD Follow-up Inspection  
 Water Supply:  Private  Municipal



Item No.	N.O.	S	U	Item No.	N.O.	S	U	Item No.	N.O.	S	U	Item No.	N.O.	S	U
<b>1.0</b>	<b>FOOD</b>			3.3		✓		3.3		✓		<b>7.0</b>	<b>FOOD EQUIPMENT AND UTENSILS</b>		
1.1		✓		3.4	✓			7.1		✓		10.2		✓	
1.2		✓		3.5	✓			7.2		✓		10.3		✓	
1.3		✓		3.6		✓		7.3	✓	✓		<b>11.0</b>	<b>WATER SUPPLY AND WASTE DISPOSAL</b>		
<b>2.0</b>	<b>FOOD STORAGE</b>			<b>4.0</b>	<b>FOOD DISPLAY AND SERVICE</b>			7.4		✓		11.1			✓
2.1		✓		4.1		✓		7.5		✓		11.2		✓	
2.2		✓		4.2		✓		<b>8.0</b>	<b>CLEANING AND SANITIZING</b>			11.3		✓	
2.3		✓		<b>5.0</b>	<b>RECORD KEEPING AND RECALLS</b>			8.1		✓		<b>12.0</b>	<b>LIGHTING AND VENTILATION</b>		
2.4		✓		5.1		✓		8.2		✓		12.1		✓	
2.5		✓		5.2		✓		<b>9.0</b>	<b>SANITARY FACILITIES</b>			12.2	✓		
2.6		✓		<b>6.0</b>	<b>PERSONNEL</b>			9.1		✓		<b>13.0</b>	<b>GENERAL</b>		
2.7	✓			6.1		✓		9.2		✓		13.1		✓	
<b>3.0</b>	<b>FOOD PREPARATION AND HANDLING</b>			6.2		✓		<b>10.0</b>	<b>FLOORS, WALLS AND CEILINGS</b>			13.2		✓	
3.1	✓			6.3		✓		10.1		✓		13.3		✓	
3.2	✓			N.O. – Not Observed; S – Satisfactory; U – Unsatisfactory; MI – Minor Infraction; MA – Major Infraction; CR – Critical Infraction											

Item No.	MI	MA	CR	Remarks	Date for Correction
10.1	x			Flooring behind the freezer requires cleaning.	Immediately
11.1	x			March and September 2019 water sample results must be forwarded to our department. An arsenic test result is due for 2019.	Immediately

Green  
 Light Yellow    Dark Yellow  
 Striped Red    Red

Re-inspection Required:  Yes  No  
 Date of Inspection: Oct 3/19  
 If Yes, Date: \_\_\_\_\_