



Food Premises Inspection Summary Report

Name of Premise: Timber Lounge	Licence #: 01-02867
Address: 19 Orange Lane Moncton NB E1C 4L6	Type: Class/Classe 4
Water Supply: Municipal	Category: Routine Compliance
	Date of Inspection: August 29, 2024

MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable

OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
2.3	MI	Temperatures shall be recorded at least 2 times daily at acceptable intervals during operation and logs shall be easily accessible for review by inspectors. Observations: Ensure temperature logs for the fridge units are available and kept up to date.	Immediately
8.2	MA	Sanitizer solution shall be used in strict accordance with the manufacturer's instructions on the label (recommended strength and contact time). Observations: Two of three sanitizer bottles showed no sanitizer reading, and one was far in excess of the allowable level. Procedure reviewed and corrected. Corrective Actions: CDI	Corrected
8.2	MI	Staff must be able to demonstrate proper use of sanitizers and method for testing the solution. Observations: Some new sanitizer test strips are to be obtained from the sanitizer supplier in order to ensure the appropriate amount of sanitizer is being dispensed for mixing. The existing strips are all past the expiry date.	Immediately

CLOSING COMMENTS

Rating colour: Green