

# FOOD PREMISES INSPECTION FORM



Name of Premises: Melanth's Special Care Home  
 Operator: 267 Portland Rd  
 Address: Saint John's

Licence #: 02-0290  
 Type:  Class 3  Class 4  Class 5  
 Category:  Routine  Re-inspection  New Licence  Other  
 Water Supply:  Private  Municipal

Item No.	N.O.	S	U	Item No.	N.O.	S	U	Item No.	N.O.	S	U	Item No.	N.O.	S	U
1.0	FOOD			3.3				7.0	FOOD EQUIPMENT AND UTENSILS			10.2			
1.1		<input checked="" type="checkbox"/>		3.4				7.1		<input checked="" type="checkbox"/>		10.3			
1.2		<input checked="" type="checkbox"/>		3.5				7.2		<input checked="" type="checkbox"/>		11.0			
1.3		<input checked="" type="checkbox"/>		3.6				7.3		<input checked="" type="checkbox"/>		11.1			
2.0	FOOD STORAGE			4.0				7.4		<input checked="" type="checkbox"/>		11.2			
2.1		<input checked="" type="checkbox"/>		4.1				7.5		<input checked="" type="checkbox"/>		11.3			
2.2		<input checked="" type="checkbox"/>		4.2				8.0		<input checked="" type="checkbox"/>		12.0			
2.3		<input checked="" type="checkbox"/>		5.0				8.1		<input checked="" type="checkbox"/>		12.1			
2.4		<input checked="" type="checkbox"/>		5.1				8.2		<input checked="" type="checkbox"/>		12.2			
2.5		<input checked="" type="checkbox"/>		5.2				9.0		<input checked="" type="checkbox"/>		13.0			
2.6		<input checked="" type="checkbox"/>		6.0				9.1		<input checked="" type="checkbox"/>		13.1			
2.7		<input checked="" type="checkbox"/>		6.1				9.2		<input checked="" type="checkbox"/>		13.2			
3.0	FOOD PREPARATION AND HANDLING			6.2				10.0		<input checked="" type="checkbox"/>		13.3			
3.1		<input checked="" type="checkbox"/>		6.3				10.1		<input checked="" type="checkbox"/>					
3.2		<input checked="" type="checkbox"/>													
Item No.				N.O. - Not Observed; S - Satisfactory; U - Unsatisfactory; MI - Minor Infraction; MA - Major Infraction; CR - Critical Infraction				Date for Correction							
7.4		<input checked="" type="checkbox"/>													
8.1		<input checked="" type="checkbox"/>													

Test strips for bleach sanitizer must be available.  
 100ppm bleach solutions must not be used on food contact surfaces. 100ppm bleach solutions are to be used instead.

November 24/2020  
 Corrected

Green  
 Light Yellow  
 Striped Red  
 Dark Yellow  
 Red

Re-inspection Required:  Yes  No  
 If Yes, Date: \_\_\_\_\_

Date of Inspection: Nov 17/2020