

FOOD PREMISES INSPECTION FORM



Operator: 652150 NB Inc (Redeview Manor)
 Address: 100 McKay Loop Road, Fenwick, NB

Licence #: 02-02261
 Type: Class 3 Class 4 Class 5
 Category: Routine Re-inspection New Licence Other
 Water Supply: Private Municipal

Item No.	N.O.	S	U	Item No.	N.O.	S	U	Item No.	N.O.	S	U	Item No.	N.O.	S	U
1.0	FOOD			3.3				7.0	FOOD EQUIPMENT AND UTENSILS			10.2			
1.1		<input checked="" type="checkbox"/>		3.4				7.1	Food Equipment (Design, Construction, Installation and Maintenance)			10.3			
1.2		<input checked="" type="checkbox"/>		3.5				7.2	Food Contact Surfaces			11.0			
1.3		<input checked="" type="checkbox"/>		3.6				7.3	Mechanical Dishwashing			11.1			
2.0	FOOD STORAGE			4.0				7.4	Manual Dishwashing			11.2			
2.1		<input checked="" type="checkbox"/>		4.1				7.5	Eating Utensils and Dishes			11.3			
2.2		<input checked="" type="checkbox"/>		4.2				8.0	CLEANING AND SANITIZING			12.0			
2.3		<input checked="" type="checkbox"/>		5.0				8.1	Cleaning and Sanitizing			12.1			
2.4		<input checked="" type="checkbox"/>		5.1				8.2	Detergents and Chemical Use and Storage			12.2			
2.5		<input checked="" type="checkbox"/>		5.2				9.0	SANITARY FACILITIES			13.0			
2.6		<input checked="" type="checkbox"/>		6.0				9.1	Washroom(s)			13.1			
2.7		<input checked="" type="checkbox"/>		6.1				9.2	Hand Washing Station(s)			13.2			
3.0	FOOD PREPARATION AND HANDLING			6.2				10.0	FLOORS, WALLS AND CEILINGS			13.3			
3.1		<input checked="" type="checkbox"/>		6.3				10.1	Floors (Construction and Maintenance)						
3.2		<input checked="" type="checkbox"/>													

Remarks: The freezer on the main level is required to be defrosted. Fast strips were not suitable for verifying sanitizer concentration. Spout strips available for sanitizer concentration are available at the corrected. Sanitizer selection was open sanitizer must be available at the corrected. Recommended concentration.

Green Light Yellow Dark Yellow Striped Red Red

Re-inspection Required: Yes No

Date of Inspection: Nov 6, 2020 If Yes, Date:

Date for Correction: Nov 20, 2020