

Food Premises Inspection Summary Report

<p>Name of Premise: CurtLin Manor</p> <p>Address: 61 Bonney Rd Nauwigewauk NB E5N 7A1</p> <p>Water Supply: Private</p>	<p>Licence #: 02-02716</p> <p>Type: Class/Classe 4</p> <p>Category: Compliance</p> <p>Date of Inspection: May 18, 2022</p>
---	--

MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable

OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
2.5	MI	<p>Foods and their containers must not be overcrowded as to allow proper air circulation and prevent cross-contamination</p> <p>Observations: Refrigerator is overcrowded. New larger refrigerator has already been purchased and should arrive next week.</p>	Immediately
2.6	MI	<p>Foods shall be stored in a manner to prevent cross contamination (stored in impervious containers once opened, scoops kept out of bins, not directly on floor)</p> <p>Observations: Scoop located inside the flour bin.</p> <p>Corrective Actions: CDI</p>	Corrected
7.1	MI	<p>Non-food contact equipment shall be constructed from materials that are suitable for their intended purpose and are durable, easily cleaned and free from any undesirable substance</p> <p>Observations: Repair the counter edge that is damaged near the dishwasher.</p>	Immediately

CLOSING COMMENTS

Rating colour: Green