

Food Premises Inspection Summary Report

Name of Premise: Route 16 Diner Address: 4335 Route 16 Malden NB E4M 1X8 Water Supply: Private	Licence #: 01-02308 Type: Class/Classe 5 Category: Compliance Date of Inspection: May 3, 2022
--	--

MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable

OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
1.3	MI	Any prepared potentially hazardous foods wrapped in packages or stored in containers shall be labeled with the date of preparation	Immediately
2.6	MI	Shelves/cupboards shall be designed to facilitate effective cleaning and sanitation and be of sound construction and in good repair Observations: Cleaning required in broken refrigeration unit.	Immediately
5.1	MI	Records shall be kept on the premises in respect of which the licence is issued Observations: keep distribution logs on site	Immediately
8.2	MI	Sanitizer solution shall be used in strict accordance with the manufacturer's instructions on the label (recommended strength and contact time) Observations: 1/2 a teaspoon of bleach to 1 Liter of water (100ppm bleach as sanitizer) Corrective Actions: CDI	Corrected

CLOSING COMMENTS

Rating colour: Green