

Food Premises Inspection Summary Report

Name of Premise: The Lighthouse by 540 Address: 615 Queen Street Fredericton NB E3B 4Y7 Water Supply: Municipal	Licence #: 03-006164 Type: Class/Classe 4 Category: Routine Compliance Date of Inspection: June 28, 2023
---	---

MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable

OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
6.3	MI	Employees shall refrain from any behavior or practices that may result in the contamination of food (e.g. improper storage of personal items, eating while preparing food, etc.). <i>Comment: Staff personal effects must be stored in a designated location to reduce the risk of cross-contamination with food.</i>	July 7, 2023
9.2	MA	There must be hot and cold running potable water at all hand washing stations. Exceptions may occur at Public Markets and Temporary Events as per Guidelines. <i>Comment: Repair faucet at kitchen handwashing station: no cold water. Repair faucet at staff washroom handwashing station: no hot water.</i>	July 7, 2023
9.2	MI	Paper towel shall be in a dispenser. <i>Comment: Paper towel was not in dispensers at handwashing stations (i.e. 3x). Ensure paper towel is properly sized for the dispensers on site.</i>	Immediately
13.1	MI	The latest copy of the current food inspection report shall be displayed so that customers can easily read the report. <i>Comment: Post most recent inspection report in a location visible to the public.</i>	July 7, 2023
13.1	MI	A valid licence to operate a food premises shall be posted for the general public to see. <i>Comment: Post food premises license in a location visible to the public.</i>	July 7, 2023
13.2	MI	Openings to the outside shall be screened. <i>Comment: Doors off main kitchen must be screened. Operator may use magnetic closing screens instead of screen doors.</i>	July 7, 2023

CLOSING COMMENTS

Reinspection scheduled for 2023-07-07.

Rating colour: Dark Yellow