



Food Premises Inspection Summary Report

Name of Premise: Q-Plex Canteen	Licence #: 02-035055
Address: 20 Randy Jones Way Quispamsis NB E2E 0B3	Type: Class/Classe 4
Water Supply: Municipal	Category: Routine Compliance
	Date of Inspection: January 12, 2024

MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable

OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
2.3	MI	Temperatures shall be recorded at least 2 times daily at acceptable intervals during operation and logs shall be easily accessible for review by inspectors.	Immediately
8.1	MI	Non-food contact equipment shall be kept clean and sanitary. Observations: Walk-in fridge fan requires cleaning. Bathroom requires cleaning.	Immediately
8.2	MI	Staff must be able to demonstrate proper use of sanitizers and method for testing the solution. Observations: Test strips are expired. New ones must be purchased.	Immediately
9.2	MI	Paper towel shall be in a dispenser.	Immediately
10.2	MI	Walls shall be designed to facilitate effective cleaning and sanitation. Observations: Wall must be painted where crack filled.	Immediately

CLOSING COMMENTS

Rating colour: Green