



Food Premises Inspection Summary Report

Name of Premise: The Zesty Lemon Address: 535 Somerset St Saint John NB E2K 4X2 Water Supply: Municipal	Licence #: 02-03194 Type: Class/Classe 5 Category: Routine Compliance Date of Inspection: December 5, 2023
---	---

MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable

OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
7.2	MI	Food contact surfaces, equipment and utensils shall be maintained such that they function in the manner intended and can be easily cleaned and sanitized (e.g. scratched and scored cutting boards/utensils). Observations: Cutting boards that are badly scratched must be resurfaced or replaced.	Immediately
8.2	MA	Sanitizer solution shall be used in strict accordance with the manufacturer's instructions on the label (recommended strength and contact time). Observations: Sanitizer was at 100ppm. It must be 200ppm for QUAT. Corrective Actions: CDI	Corrected
10.2	MI	Walls shall be of sound construction and in good repair. Observations: Hole in the wall of the staff washroom must be repaired and made smooth and easily cleanable.	Immediately

CLOSING COMMENTS

Rating colour: Green