

FOOD PREMISES INSPECTION FORM

Name of Premises: The Great Canadian Bagel Company

Licence #: 01-00781

Operator: _____

Type: Class 3 Class 3 WH Class 4 Class 5

Address: 461 Paul St. Dieppe

Additional Info: PM TE Catering

Category: Routine Re-inspection New Licence Other

Water Supply: Private Municipal



Item No.	N.O.	S	U	Item No.	N.O.	S	U	Item No.	N.O.	S	U	Item No.	N.O.	S	U
1.0	FOOD			3.3	✓			7.0	FOOD EQUIPMENT AND UTENSILS			10.2		✓	
1.1		✓		3.4	✓	✓		7.1		✓		10.3		✓	
1.2		✓		3.5	✓	✓		7.2		✓		11.0	WATER SUPPLY AND WASTE DISPOSAL		
1.3		✓		3.6		✓		7.3			✗	11.1		✓	
2.0	FOOD STORAGE			4.0	FOOD DISPLAY AND SERVICE			7.4		✓		11.2		✓	
2.1		✓		4.1		✓		7.5		✓		11.3		✓	
2.2		✓		4.2		✓		8.0	CLEANING AND SANITIZING			12.0	LIGHTING AND VENTILATION		
2.3		✓		5.0	RECORD KEEPING AND RECALLS			8.1			✗	12.1		✓	
2.4		✓		5.1		✓		8.2		✓		12.2		✓	
2.5		✓		5.2	✓			9.0	SANITARY FACILITIES			13.0	GENERAL		
2.6		✓		6.0	PERSONNEL			9.1		✓		13.1		✓	
2.7	✓			6.1		✓		9.2		✓		13.2		✓	
3.0	FOOD PREPARATION AND HANDLING			6.2		✓		10.0	FLOORS, WALLS AND CEILINGS			13.3		✓	
3.1		✓		6.3		✓		10.1		✓					
3.2		✓		N.O. - Not Observed; S - Satisfactory; U - Unsatisfactory; MI - Minor Infraction; MA - Major Infraction; CR - Critical Infraction											

Item No.	MI	MA	CR	Remarks	Date for Correction
1.3				The sanitizer jug for the dishwasher was empty at time of inspection. Operator left and went to purchase some and came back during inspection.	CDI
8.1				The mixed bleach solutions made up in the back room (bottles) is too strong. Mix properly in order to obtain 100 ppm. Verify concentration using chlorine test strips.	CDI.

Green
 Light Yellow Dark Yellow
 Striped Red Red

Re-inspection Required: Yes No

Date of Inspection: March 3, 2022 If Yes, Date: _____

Received by: _____ Inspector Signature: _____

W