

Food Premises Inspection Summary Report

Name of Premise:	Fairview Lanes	Licence #:	02-00747
Address:	87 Lansdowne Ave Saint John NB E2K 3A1	Type:	Class/Classe 4
Water Supply:	Municipal	Category:	Routine Compliance
		Date of Inspection:	May 6, 2024

MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable

OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
2.3	MI	Temperatures shall be recorded at least 2 times daily at acceptable intervals during operation and logs shall be easily accessible for review by inspectors. Observations: Refrigerator temperatures must be taken and recorded at least twice daily. Temperatures appear to only be taken once per day currently.	Immediately
7.2	MI	Food contact surfaces, equipment and utensils shall be constructed from materials that are suitable for their intended purpose and are durable, easily cleaned and free from any undesirable substance. Observations: The following food contact surfaces require cleaning:- The inside of the ice machine- The shelving for clean plates	Immediately
13.3	MI	Other conditions which needs consideration (ex: clutter, unused equipment, etc.). Observations: The toilet seat in the staff washroom must be replaced as it is worn and becoming difficult to clean and disinfect.	Immediately

CLOSING COMMENTS

Rating colour: Green