



## Food Premises Inspection Summary Report

|  |  |
|--|--|
| <b>Name of Premise:</b> YMCA of Greater Saint John Q Plex<br>Afterschool Program - Downstairs<br><br><b>Address:</b> 20 Randy Jones Way<br>Quispamsis NB<br><br><b>Water Supply:</b> Private | <b>Licence #:</b> 02-02362<br><br><b>Type:</b> Class/Classe 4<br><br><b>Category:</b> Compliance<br><br><b>Date of Inspection:</b> February 28, 2022 |
|--|--|

*MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable*

### OBSERVATIONS AND CORRECTIVE ACTIONS

| Item | MI /MA/ CR | Remarks  | Date for Correction |
|------|------------|--|---------------------|
| 9.2  | MI         | Paper towel shall be in a dispenser  | Immediately         |
| 10.3 | MI         | Ceilings shall be of sound construction and in good repair<br><b>Observations: Stained ceiling tiles in the kitchen requires to be replaced.</b>       | Immediately         |
| 13.1 | MI         | A valid licence to operate a food premises shall be posted for the general public to see<br><b>Observations: Post most recent licence on the wall.</b> | Immediately         |

### CLOSING COMMENTS

**Rating colour:**                      **Green**