

## Food Premises Inspection Summary Report

<b>Name of Premise:</b>	UNB Saint John Main Kitchen	<b>Licence #:</b>	02-02619
<b>Address:</b>	100 Tucker Park Road Saint John NB E2K 5E2	<b>Type:</b>	Class/Classe 4
<b>Water Supply:</b>	Municipal	<b>Category:</b>	Routine Compliance
		<b>Date of Inspection:</b>	March 12, 2024

*MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable*

### OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
7.1	MI	Non-food contact equipment shall be constructed from materials that are suitable for their intended purpose and are durable, easily cleaned and free from any undesirable substance. <b>Observations: Tape must be removed from kitchen as it is not able to be cleaned.</b>	Immediately
7.3	MI	If a high temperature dishwasher is used, the sanitizing water temperature shall reach 82°C (180°F). <b>Observations: Dishwasher is broken. It must be repaired. Disposable dishes are being used and a three compartment sink is used for dishwashing.</b>	Immediately
8.1	MI	Non-food contact equipment shall be kept clean and sanitary. <b>Observations: Bottom of ice cream freezer requires cleaning. Inside of condiment fridge requires cleaning. Ceilings require cleaning near vents.</b>	Immediately
8.2	MA	Sanitizer solution shall be used in strict accordance with the manufacturer's instructions on the label (recommended strength and contact time). <b>Observations: Sanitizer was too low in one bucket. It must be 200ppm for QUAT.</b> <b>Corrective Actions: CDI</b>	Corrected
13.2	MA	There shall not be any signs of insects and/or rodents. <b>Observations: Rodent droppings were found on floors, hard to reach areas and a shelf. These areas must be cleaned and sanitized</b>	March 26, 2024
10.1	MI	<b>Outstanding Infraction: Floors shall be of sound construction and in good repair.</b> Comment: Floors in dry storage are in bad repair and must be repaired or replaced.	

### CLOSING COMMENTS

**Rating colour: Dark Yellow**