



Food Premises Inspection Summary Report

Name of Premise: Sussex Drive In - Canteen Address: 133 Aiton Rd Sussex East NB E4G 2V5 Water Supply: Private	Licence #: 02-03147 Type: Class/Classe 4 Category: Routine Compliance Date of Inspection: July 4, 2023
---	---

MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable

OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
3.3	MI	Potentially hazardous foods shall be held at 4°C (40°F) or less or at 60°C (140°F) or above until served. Observations: Hot holding unit was 47 degrees. It must be 60 degrees. Food must be heated on stove and put into hot holding unit to hold temperature. Corrective Actions: CDI	Corrected
7.4	MA	Dishes/utensils shall be washed, rinsed, sanitized and air dried. Observations: Dishes must be properly sanitized. Corrective Actions: CDI	Corrected
8.2	MA	Sanitizer solution shall be used in strict accordance with the manufacturer's instructions on the label (recommended strength and contact time). Observations: Sanitizer was mixed at 400 ppm. It must be 200ppm to be considered food grade. Corrective Actions: CDI	Corrected
10.3	MI	Ceilings shall be of sound construction and in good repair. Observations: Water damaged ceiling tiles need to be replaced	Immediately

CLOSING COMMENTS

Rating colour: Green