

Food Premises Inspection Summary Report

<p>Name of Premise: North Minto Residence Ltd.</p> <p>Address: 781 Northside Drive Minto NB E4B 3C7</p> <p>Water Supply: Private</p>	<p>Licence #: 03-01474</p> <p>Type: Class/Classe 4</p> <p>Category: Compliance</p> <p>Date of Inspection: June 14, 2022</p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------

MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable

OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
8.2	MA	Sanitizer solution shall be used in strict accordance with the manufacturer's instructions on the label (recommended strength and contact time) Observations: Quat sanitizer was measured over 1500ppm. Comment: Add about 2mL of Santi-Q to 1000mL of water for a 200ppm solution of Quat. Corrective Actions: Quat sanitizer shall be kept at 200ppm.	Corrected
8.2	MI	Sanitizer bottles must be properly labelled and available in sufficient quantity to encourage appropriate regular use. Observations: Sanitizer bottles are unlabelled. Comment: Label sanitizer bottles with contents, concentration and recipe i.e. Quat sanitizer at 200ppm: Add 2mL of Santi-Q to 1000mL of water.	Immediately

CLOSING COMMENTS

All outstanding infractions are to be corrected at the next routine inspection.

Rating colour: Green