

Food Premises Inspection Summary Report

Name of Premise: Little Ceasar's Pizza Licence #: 01-01559

Address: 7-18 Champlain Street Type: Class/Classe 4

Dieppe NB E1A 1N3

Category: Routine Compliance

Water Supply: Municipal Date of Inspection: July 19, 2023

MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable

OBSERVATIONS AND CORRECTIVE ACTIONS			
Item	MI /MA/ CR	Remarks	Date for Correction
2.1	MA	All potentially hazardous foods shall be stored at or below 4°C (40°F) or at or above 60°C (140°F). Observations: Parmesan cheese was out at room temperature at time of inspection. Corrective Actions: CDI	Corrected
6.1	MA	Staff shall be knowledgeable about the food handling procedures used by the licensee for potentially hazardous food.	
7.1	MI	Non-food contact equipment shall be constructed from materials that are suitable for their intended purpose and are durable, easily cleaned and free from any undesirable substance. Observations: Remove dirty cardboard on grey plastic shelves. Keep the shelves clean at all times	August 2, 2023
7.2	MA	Food contact surfaces, equipment and utensils shall be constructed from materials that are suitable for their intended purpose and are durable, easily cleaned and free from any undesirable substance. Observations: -Parmesan cheese container and corn meal container are very dirty Keep all containers for food clean. Wash and sanitize them when they are empty before refilling them. The outside of all containers must be washed and sanitized every day.	August 2, 2023
8.1	MA	Non-food contact equipment shall be kept clean and sanitary. Observations: Hand wash sink must be cleaned and sanitized on a daily basis. Comment: There was alot of grease build up at the hand sink at time of inspection.	August 2, 2023
13.1	MI	The latest copy of the current food inspection report shall be displayed so that customers can easily read the report. Corrective Actions: CDI	Corrected

CLOSING COMMENTS

Rating colour: Dark Yellow

Inspection #: 042750 Page 1 of 1 Copy for Posting