



Food Premises Inspection Summary Report

Name of Premise: Living Hope Special Care Home Address: 467 Picadilly Rd Picadilly NB E4E 5J7 Water Supply: Private	Licence #: 02-03260 Type: Class/Classe 4 Category: Compliance Date of Inspection: May 31, 2022
-----------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------

MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable

OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
1.1	MA	Foods shall be purchased from approved or regulated sources with the exception of fresh fish, fruits and vegetables bought directly from a primary producer, or as approved through the MOH Approved source process Observations: Farm eggs were found in both fridges. Discontinue use. All foods must come from an approved source. Corrective Actions: CDI	Corrected
7.4	MA	Testing strips shall be available to verify sanitizer concentration Observations: Test strips are for chlorine products but quaternary ammonium products are what is being used. Quat test strips are required to verify sanitizer and disinfectant strength.	June 14, 2022
8.2	MA	Sanitizer solution shall be used in strict accordance with the manufacturer's instructions on the label (recommended strength and contact time) Observations: Sanitizer was mixed at >400 ppm. It must be 200 ppm. Disinfectant was mixed at < 100 ppm. It must be 400-600 ppm depending on manufactures guidelines.	
9.1	MA	Liquid or powdered soap, toilet paper and single use paper towel or an approved hand drying device must be present Observations: Bar soap was found in shared washrooms. Liquid soap is required for shared washrooms to prevent the spread of disease. Corrective Actions: CDI	Corrected
10.3	MA	Ceilings shall be of sound construction and in good repair Observations: Ceiling in the dry storage must be smooth and easily cleanable.	June 14, 2022
13.3	MI	Other conditions which needs consideration (ex: clutter, unused equipment, etc.) Observations: Cel phones and other personal items must be kept off the countertops in the kitchen. Corrective Actions: CDI	Corrected

CLOSING COMMENTS

Rating colour: Dark Yellow