

Food Premises Inspection Summary Report

Name of Premise: Tim Hortons #2848 Address: 1160 Hanwell Road Fredericton NB E3C 0A6 Water Supply: Municipal	Licence #: 03-01031 Type: Class/Classe 4 Category: Compliance Date of Inspection: February 8, 2023
--	---

MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable

OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
------	------------	---------	---------------------

2.1	MA	All potentially hazardous foods shall be stored at or below 4°C (40°F) or at or above 60°C (140°F).	Corrected
-----	----	---	-----------

Comment: Cold brew coffee must be stored under refrigerated conditions.

Corrective Actions: Cold brew coffee was moved to walk-in refrigerator.

7.1	MI	Non-food contact equipment shall be in proper working order. For food premises that have a mechanical dishwasher that is broken and choose to use the 3-step manual method, the food premises would be in non-compliance with Section 7.1 B if the food premises is not able to or cannot achieve proper cleaning and sanitizing using the manual method.	Immediately
-----	----	---	-------------

Comment: Cold prep table in middle of sandwich area has a leaking compressor: water is pooling in the lower portion of cabinet refrigerated space. Unit must be serviced.

CLOSING COMMENTS

Rating colour: Green