



Food Premises Inspection Summary Report

Name of Premise: YMCA Forest Glen Community Centre Address: 651 Westmorland Rd Saint John NB E2J 2H3 Water Supply: Municipal	Licence #: 02-02230 Type: Class/Classe 4 Category: Routine Compliance Date of Inspection: October 9, 2024
--	--

MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable

OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
2.3	MA	Temperatures shall be recorded at least 2 times daily at acceptable intervals during operation and logs shall be easily accessible for review by inspectors. Observations: Temperature logs were not filled out for today. They must be recorded twice daily. This was also mentioned on the last report. Corrective Actions: CDI	Corrected
8.1	MI	Non-food contact equipment shall be kept clean and sanitary. Observations: Oven needs to be cleaned. Fan on the counter needs to be cleaned.	Immediately
8.2	MA	Sanitizer solution shall be used in strict accordance with the manufacturer's instructions on the label (recommended strength and contact time). Observations: Sanitizer was mixed at >500 ppm. It must be 100 ppm to be food grade. Ensure sanitizer concentration is verified after mixing. Corrective Actions: CDI	Corrected
7.1	MI	Outstanding Infraction: Non-food contact equipment shall be constructed from materials that are suitable for their intended purpose and are durable, easily cleaned and free from any undesirable substance. Comment: Freezer is no longer being used but must be cleaned and removed from the kitchen. The cupboards are starting to chip and need to be resurfaced and painted. These items were all mentioned on the last inspection report. This must be completed for the next routine inspection.	

CLOSING COMMENTS

Rating colour: Green