

Food Premises Inspection Summary Report

Name of Premise: Uptown Eatery Address: 68 King Street Saint John NB Water Supply: Municipal	Licence #: 02-03258 Type: Class/Classe 4 Category: Compliance Date of Inspection: June 27, 2022
--	--

MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable

OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
2.3	MA	Temperatures shall be recorded at least 2 times daily at acceptable intervals during operation and logs shall be easily accessible for review by inspectors Observations: The coolers temperature didn't recod for many days, The temperature shall be recorded two times daily .	July 11, 2022
7.2	MA	Food contact surfaces, equipment and utensils shall be maintained such that they function in the manner intended and can be easily cleaned and sanitized (e.g. scratched and scored cutting boards/utensils) Observations: The big white cutting board needs to be resurfaced, and all other small cutting boards needs to be replaced.	July 11, 2022
7.4	MI	The facility shall be provided with sufficient sinks to carry out an effective cleaning and sanitizing of equipment and utensils Observations: The sanitizing sink shall be filled with the sanitizer all time to sanitize the washed utensils.	July 11, 2022
9.2	MA	Paper towel shall be in a dispenser Observations: No paper towel and soap dispenser available at the time of inspection.	July 11, 2022
13.1	MI	A valid licence to operate a food premises shall be posted for the general public to see	July 11, 2022

CLOSING COMMENTS

Rating colour: Dark Yellow