

FOOD PREMISES INSPECTION FORM

Name of Establishment: Jolly Breeze
 Operator: _____
 Address: 6 King St. St. Andrews

Licence #: 02-03052 Type: Class 3 Class 4 Class 5
 Category: Routine Re-inspection New Licence Complaint CD Follow-up Inspection
 Water Supply: Private Municipal



Item No.	N.O.	S	U	Item No.	N.O.	S	U	Item No.	N.O.	S	U	Item No.	N.O.	S	U
1.0				3.3				7.0				10.2			
FOOD				Holding Methods				FOOD EQUIPMENT AND UTENSILS				Walls (Construction and Maintenance)			
1.1				3.4				7.1				10.3			
Approved Source				Cooling Methods				Food Equipment (Design, Construction, Installation and Maintenance)				Ceiling (Construction and Maintenance)			
1.2				3.5				7.2				11.0			
Purchasing and Receiving				Re-heating Methods				Food Contact Surfaces				WATER SUPPLY AND WASTE DISPOSAL			
1.3				3.6				7.3				11.1			
Acceptable Containers and Labeling				Handling Methods				Mechanical Dishwashing				Water (Quality and Quantity)			
2.0				4.0				7.4				11.2			
FOOD STORAGE				FOOD DISPLAY AND SERVICE				Manual Dishwashing				Sewage Disposal			
2.1				4.1				7.5				11.3			
Storage of Potentially Hazardous Foods				Display Methods				Eating Utensils and Dishes				Solid Waste Handling			
2.2				4.2				8.0				12.0			
Frozen Storage				Advance Preparation				CLEANING AND SANITIZING				LIGHTING AND VENTILATION			
2.3				5.0				8.1				12.1			
Refrigerated Storage (Temperature)				RECORD KEEPING AND RECALLS				Cleaning and Sanitizing				Lighting			
2.4				5.1				8.2				12.2			
Refrigerated Storage (Methods)				Record Keeping				Detergents and Chemical Use and Storage				Ventilation			
2.5				5.2				9.0				13.0			
Refrigerated Storage (Space)				Recall of Food				SANITARY FACILITIES				GENERAL			
2.6				6.0				9.1				13.1			
Dry Storage				PERSONNEL				Washroom(s)				Licence			
2.7				6.1				9.2				13.2			
Storage of Food for Staff				Demonstrating Knowledge				Hand Washing Station(s)				Rodent and Insect Control			
3.0				6.2				10.0				13.3			
FOOD PREPARATION AND HANDLING				Employee Health				FLOORS, WALLS AND CEILINGS				Other Infractions/Hazards			
3.1				6.3				10.1							
Thawing Methods				Personal Hygiene Practices				Floors (Construction and Maintenance)							
3.2															
Cooking Methods															

N.O. - Not Observed; S - Satisfactory; U - Unsatisfactory; MI - Minor Infraction; MA - Major Infraction; CR - Critical Infraction

Item No.	MI	MA	CR	Remarks	Date for Correction
2.3/3.3				Fridge must be able to maintain 4°C (40°F) or less at all times. Temp. at time of inspection was greater than 4°C (40°F) ~ 10°C. Food was moved to an alternate refrigerator. Repair.	ASAP
				Sanitizer concentration must be maintained at 100 ppm. Sanitizer conc. at time of inspection was greater than 200 ppm. Corrected.	Corrected

Green
 Light Yellow Dark Yellow
 Striped Red Red

Re-inspection Required: Yes No
 Date of Inspection: July 2018
 If Yes, Date: _____