

## Food Premises Inspection Summary Report

<b>Name of Premise:</b>	Fundy Royal Manor	<b>Licence #:</b>	01-00201
<b>Address:</b>	20 Jerry St Hillsborough NB	<b>Type:</b>	Class/Classe 4
<b>Water Supply:</b>	Municipal	<b>Category:</b>	Routine Compliance
		<b>Date of Inspection:</b>	March 13, 2024

*MI - Minor infraction; MA - Major infraction; CR - Critical infraction; CDI - Corrected During Inspection; N/A - Not Applicable*

### OBSERVATIONS AND CORRECTIVE ACTIONS

Item	MI /MA/ CR	Remarks	Date for Correction
8.2	MA	Only sanitizers suitable for use on food contact surfaces shall be used on those surfaces. <b>Observations: Sanitizer from the dispenser was checked at 300 ppm. The label on the sanitizer jug indicates 200 ppm is required.</b>	March 20, 2024
8.2	MA	Sanitizer bottles must be properly labelled and available in sufficient quantity to encourage appropriate regular use. <b>Observations: Ensure all chemical / spray bottles are labelled with the contents.</b>	March 20, 2024
13.1	MI	A valid licence to operate a food premises shall be posted for the general public to see. <b>Observations: Ensure that the latest inspection report is posted in view to visitors (post with the license).</b>	March 20, 2024

### CLOSING COMMENTS

**Rating colour: Dark Yellow**