

# FOOD PREMISES INSPECTION FORM



Name of Premises: Park-B-Bue Daycare  
 Operator: Barter Food  
 Address: Saint John, NB

Licence #: 02-02188  
 Type:  Class 3  Class 4  Class 5  
 Category:  Routine  Re-inspection  New Licence  Other  
 Water Supply:  Private  Municipal

Item No.	N.O.	S	U	Item No.	N.O.	S	U	Item No.	N.O.	S	U	Item No.	N.O.	S	U	Item No.	N.O.	S	U	Remarks	Date for Correction
1.0	FOOD			3.3				7.0				10.2				10.2				Walls (Construction and Maintenance)	
1.1		<input checked="" type="checkbox"/>		3.4				7.1				10.3				10.3				Ceilings (Construction and Maintenance)	
1.2		<input checked="" type="checkbox"/>		3.5				7.2				11.0				11.0				Water (Quality and Quantity)	
1.3		<input checked="" type="checkbox"/>		3.6				7.3				11.1				11.1				Sewage Disposal	
2.0	FOOD STORAGE			4.0				7.4				11.2				11.2				Solid Waste Handling	
2.1		<input checked="" type="checkbox"/>		4.1				7.5				12.0				12.0				Lighting	
2.2		<input checked="" type="checkbox"/>		4.2				8.0				12.1				12.1				Ventilation	
2.3		<input checked="" type="checkbox"/>		5.0				8.1				12.2				12.2				Licence	
2.4		<input checked="" type="checkbox"/>		5.1				8.2				13.0				13.0				Rodent and Insect Control	
2.5		<input checked="" type="checkbox"/>		5.2				9.0				13.1				13.1				Other Infractions/Hazards	
2.6		<input checked="" type="checkbox"/>		6.0				9.1				13.2				13.2					
3.0	FOOD PREPARATION AND HANDLING			6.1				9.2				13.3				13.3					
3.1		<input checked="" type="checkbox"/>		6.2				10.0													
3.2		<input checked="" type="checkbox"/>		6.3				10.1													
2.3		<input checked="" type="checkbox"/>																			
7.1		<input checked="" type="checkbox"/>																			
8.1		<input checked="" type="checkbox"/>																			
13.1		<input checked="" type="checkbox"/>																			
13.3		<input checked="" type="checkbox"/>																			

Temperature logs are not maintained on the kitchen refrigerator.  
 Cold storage must be checked and logged twice per day.  
 Where molding is breaking away from the sink must be repaired.  
 Bleach solutions in the kitchen were too low. Bleach solutions used on food contact surfaces must be 100ppm.  
 A valid food premise licence must be displayed where the public can see it.  
 Mops and mop buckets must not be stored in the kitchen area as it can cause contamination of food products or surfaces.

Light Yellow     Dark Yellow     Re-inspection Required:  Yes  No  
 Striped Red     Red    If Yes, Date: \_\_\_\_\_

White - Office; Yellow - Operator; Blue - Copy for Posting